

Polo Safety Shoes

GS-01

- Upper Leather Commercial
- · PVC sole with steel Toe
- Made by stuck on process
- · Suitable for molded shut down work in continues process industries

GS-03

- · Split leather, PU sole with steel toe cap
- · Steel cap having 200j impact resistant
- · Low ankle, anticked sole
- · Available 6 to 11 no size
- Inside lining smooth 7 padded

FP-11 Safety Shoes

- · Grain leather, PU double denciti sole with steel toe cap
- Steel cap having 200j impact resistant
- · Low ankle, anticked sole
- Available 6 to 11 no size
- · Inside lining smooth 7 padded

FP-16 DD Safety Shoes





(€ 🖾

Lorex Safety Shoes

GS-07

- · Upper barton grain leather
- I ow Ankle
- · Foot bed removable Polyamide on EVA
- · Outsold single density PU
- · Foam padded collar lining

- · Upper barton grain leather
- · High ankle
- · Sole made from nitrile rubber with steel toe cap
- · Inside lining superior process
- · Direct injection process

Nitrile Safety Shoes



Gum Boot

GS-11

- · Material PVC one peace molded
- Size 6 to 10 nos. available
- · Length 21 cm / 30 cm
- Black Color

- · Upper leather Soft thick & smooth
- · PVC sole with steel toe
- Direct injection process

Moulded Safety Shoes

FP-15 Safety Shoes

GS-04

- · Buff leather, PU sole with steel toe cap
- · Steel cap having 200j impact resistant
- · Low ankle, anticked sole
- · Available 6 to 11 no size
- · Inside lining smooth 7 padded

- · Grain leather, PU double denciti sole with steel toe cap
- · Steel cap having 200j impact resistant
- · Low ankle, anticked sole
- · Available 6 to 11 no size
- · Inside lining smooth 7 padded

FP-12 DD Brown

EN-345



Leapard Safety Shoes

- (€ 🖾
 - · Upper barton grain leather.
 - High Ankle
 - · Foot bed removable polyamide on EVA
 - · Outsole injected single density PU

GS-08

- · Antirust burr free d-rings
- · Padded collar with split leather lining

GS-10

- · Material PVC one piece moulded press button
- · Length 15 cm

Botton Boot

IS: 12254



Gum Boot Steel Toe

GS-12

- One piece compound PVC molded with steel toe
- · Inside cotton lining to absorb perspiration
- Size 6 to 10 no. are available
- Black Colour

E-mail: info@gujaratsafety.com

EN-397



- · Made form light weight HDPE
- · Head measurement and chin strap adjustable

GS-13

- · White, Yellow, Blue, Green, Red colour
- · Inside PVC fitting replaceable

Nap Helmet



Manual Adjustment

 ϵ

- · Manual Adjustment Helmet Made from light weight HDPE
- Sweat band
- · Head measurement 54 to 59 cm & chin strap adjustable
- · Slot is provided for easy fitting of ear muff & face shield

GS-17

- · Made from UV resistance HDPE
- · LDPE lining, 3 bands with 8 fixing points, Sweet bands
- Head measurement 53 to 63 cm & adjustable chin strap
- · Slot for ear defender
- · Weight 336 gram

Karam Helmet



001 Goggles



Avior Goggles



Welding Goggles

GS-19

- · Clear polycabonate single lens piece
- Anti Scratch
- · Soft flat spatula type arms
- Weight 25 grams
- · Integrated polycabonate nose piece
- Easy to use with safety helmet and year defender

GS-21

- · Single lens polycarbonate glasses
- · Direct side ventilation
- · Lateral protection
- · Weight 42 gram
- · Arms with hole for neck cord
- · Suitable as over spectes

GS-23

- · Polycabonate lens, vinyl soft setting material
- · Color : Green · Length : 19 cm
- Width: 8 cm Height: 7.5 cm
- · Function : anti-welding light
- · Purpose : Anti-glare
- · Features : flip top design indirect ventilation design, comfortable frame material

- · Made from light weight HDPE
- · Chin strap adjustable
- · Inside cotton fitting replaceable
- Yellow colour

Loder Helmet





Ratchet Adjustment

EN-397

EN-166



Tiger Ventilation Helmet

GS-16

- · Ratchet Adjustment Helmet
- · Made from light weight HDPE material
- Sweat band
- · Head measurement 54 to 59 cm & chin strap adjustable
- · Slot is provided for easy fitting of ear muff & face shield

GS-18

- · Made from UV resistance HDPE
- · LDPE lining, 3 bands with 8 fixing points, Sweet bands
- Head measurement 53 to 63 cm & adjustable chin strap
- · Slot for ear defender & air ventilator • Weight 336 gram

GS-20 CE



005 Goggles

Optical Class-1

- Lens scle number : 2 1.2 (for clear lens) 5 - 1.2 (for smoked lens)
- · Lens material Polycarbonate
- · Hard-coated lens for Scratch Resistance
- Smoked lens model also provides optimum protection against harmful UV radiation.

GS-22

 Stylish Color Frame Nylon Material easy Install with your power glasses Best solution safety power glasses

Prescription Eye Wear

EN-166



 ϵ



Chemical Splash

GS-24

- · Clear polycarbonate color less goggles
- Flexible PVC frame
- · Woven elastic strap
- · Protection against chemical splash

E-mail: info@gujaratsafety.com Website: www.gujaratsafety.com

HAND GLOVES



PVC Dotted Gloves



Nitrile Dipped Gloves



Rubber Gloves

GS-25

- Made C 0705
- · 100% cotton seamless knitted fabrics with one side PVC dots on palm
- · Gauge 7, weight Gram per dorzen · Dexterity
- Also available different quality as per customer requirement

GS-27

- · 100% Nitrile green shade
- · Cotton flock lining for perspiration absorption
- Green patttern palm and fingers
- · Length 33 cm, thickness 40 mm
- · Excellent resistance to abrasion, cuts, tears and puncture

GS-29

- · Made from latex rubber
- · Size 25 to 28 cm in length
- · Orange, Yellow, Blue, Pink color
- · Soft and comfortable



Cut Resistanse

GS-28

13 Gauge Nylon Swamless Liner

with Grey Nitrile Coating on Plam and Finger with Smooth

- Natural split welder
- · Red palm split leather rain force on palm & thumb
- French assembly
- · Length 35 cm
- · Long back finger, durable, suitable fer welding & general material handling

Leather Gloves

IS: 4770

EN-353-2



Electrical Gloves

- · Seamless natural latex rubber
- · 355 cm length
- · Test potential voltage 11000 volt

GS-30

- Working Potential 1100 volt
- Also available 5 KV to 33 KV at different working potential volt



Full Body Harness

Retractable Fall Arrester

IS: 5175

S

Rope Ladder

Aluminum

Wooden



GS-33

Retractable Wire Rope Fall Arrester Block Plastic Casing, with Galvanized Steel Cable 3m to 50m Length with hook at Attachment End Casing made up of high impact strength Polymer, to prevent breakage and is nearly indestructible. Anchorage Eye with swivel action. Prevents undue twist of rope while working or in the event of a Fall.

GS-31

· Class A harness with one D-ring

webbing are 40 mm and 3 mm

· Waist and leg straps are adjustable · Available with screw or scaffold hook fitted with single PP rope

for fall arrest attachment

· Width and thickness of PP

respectively

GS-35

- · Made from 12 mm rope without ioint
- · Available in wooden ar aluminum runas.
- · Upper end spliced with 10 mm to 12 mm screw type hook
- · Standard size is 10 meter length with 12 mm rope

GS-32 ϵ · Works on 14 mm polyamide rope



- Steel karabiner attachment
- · Provided with gravity locking system to prevent incorrect use
- · Double security opening system

GS-34

Fall Arrester



stop knot

· Made of 3-Stand polyamide twisted rope of dia 14 mm · One side loop: other side end

- · Available with Both side Loops

Anchorage Line

IS: 5175

Safety Net

GS-36

- · Nets are fabricated from PP/nylon ropes
- · Border rope and cord rope diameter is 12 mm
- Mesh size is 100 mm and mesh rope 4 mm
- Standard size 10 x 3 & 10 x 5 meter

E-mail: info@gujaratsafety.com

Reflective Jacket




Barrication Tape



Speed Breaker


E PRODUCTS



• Size: 17.5 x 9.5 cm

· Color: Light blue / light green.

· Weight: 2.4 grams



· Color: Light blue / light green.

• Height: 15 cm / 20 cm

Disposable Shoe Cover

Disposable Mask



Disposable Shoot

GS-37

- 110 gsm polyester fabric fitted with 25 mm reflective micro prismatic tpe
- · Velcro for front locking
- · Suitable for Traffic management exhibition, construction works.
- Also available fitted with 50 mm reflective tape jacket

GS-39

- Available tube type with both side printing, width 75 mm length 500
- · Red and White color, Bright bold type words caution, danger, and appropriate symbol

GS-41

- · Chequer Design on top and bottom • Yellow & black color
- Body Material Modified Thermoplastics (Polymer Rubberized)
- Size L 500 X W 350 X H 50 mm
- · 8 Cats eyes per meter
- · Weight 14 KG per meter

GS-43

- · Features : 2 ply with tie on elastic ear loop.

GS-45

- · Length: 400 mm (suitable for all shoes sizes)

GS-47

• Material : Non woven These inexpensive disposable clothes provide full upper body coverage during laminating and grinding. keep dust and chemicals off clothes and away from our

Lightweight, cool and comfortable

- · Made from LDPE non crushable
- · Fitted with 8" reflective sleeve
- Height 740 mm, Base 380 x 380 mm
- Red Color
- · Easy to carry, stock and storage

Traffic Cone



Convex Mirror



MS Road Barriers

GS-40

- · Made from poly carbonate lens 1.5 mm, frame is made form FRP.
- Size: 45,60, 80, 100 cm
- · Pink color frame
- · Light weight fixing clamp is provided with mirror.

GS-42

- Made from mild steel
- · Size: L 300 to 2750 mm, height 1000 mm
- Red & Yellow

GS-44

- Material : Made from Polypropylene spunbonded fabric.
- · Size : Universal · Color: Light blue
- · Weight: 2 grams
- · Features : Avoid escape of hair, dandruff and disposable cap.

Disposable Cape



Disposable Gloves



Disposable Apron

GS-46

· Disposable Natural Powder/ powder free medical non examination latex gloves, Use for cleaning, medical, exam, food, working etc..

GS-48

· Made by Non woven or vinyl plastic, This inexpensive disposable apron provid upper body coverage during laminating and grinding. Keep dust and chemicals off clothes and away from your skin.

E-mail: info@gujaratsafety.com

Chain Pulley Block



· Capacity 1 ton to 10 ton A high-strength load chain and a dry-type braking mechanism combine with a highly-effcient compact design to provide smooth and reliable operation and outstanding performance Double pawl spring mechanism increases safety and reliability

GS-51

 Material Made form 100% polyester

Size: Width 50 mm & Length

1 M to 12 M Color: Green





Cylinder Trolly

GS-53

 Handle single cylinders of 9 ½" dia on all welded cylinder trucks. Having clamp with locking arrangements. Rolls effortlessly on 2- heavy duty wheels.

Available options : for different type of cylinders, wheels options as per



Boiler Suit

Fire Suit

Tychen Suit

GS-55

- 100% high quality twill weave fabric of 240 gms
- · Color fastness & shrinkage as per SGM norms
- · Elasticized waist band in back
- Available Navy Blue & Orange color
- Size : S / M / L / XL

GS-57

· Work wear 1 Piecde single layer 4.5 oz NOMEX, It has made from III A fabric with retro reflective tape at (1) forearms (2) bottom of paints. Size: L, XL, XXL Weight: 656 grams

It has inherent flame fesistant properly one piece work features wear. Two set in front packet, two patch hip pockets, Pencil pocket on left sleeve

GS-59

- Provides Level B protection
- · Rear entry with expandable back
- 48" zipper with storm flap
- 20 mil PVC Face shield
- Elastic wrists
- 2 exhaust ports with shroud
- Attached sock boots with boot flaps



Wire Rope Sling

Made from steel

Size: Dia 18 mm, 6 x 19 sc

eye type loop is provided.

wire rope is available in 3 M to

20 Mater Length. Both end Plane

 Made from forged steel grade 80 It is U shaped piece of a grade 80 steel with a clevis pin acrosss the body. Pin is threaded availble from 1 Ton to 55 Tons



D/Bow Shackle

GS-54 · Capacity: 25 kg

Heavy duty canvas construction solid timber base Supplied with load test certi? cate Ideal for lifting scaffold clips, bolts,

tools etc.



Lifting Bag

F R Boiler Suit

GS-56

 Made out of 100% cotton FR / Nomexmaterial Stitched with cotton thread Colour: orange, navy blue, red, etc Size: S, M, L, XL, XXL We can customize the pattern according to client requirement

GS-58



Tyvek Suit

· Features : Perfect Fitting, Light Weight

Made out of duponttyvek material · Chemical resistant

- · Available in coverall or coat & pant form with either airline or without airline connection
- · Make : Dupont



PVC Suit 3 Pcs.

GS-60

- · 3 Pieces: Hood, coat and trousers
- · Free size Pant is elasticized, coat with button & zeep
- Bright Yellow color
- · Acrylic visor to cover face against dust and fumes



Fire Extinguisher



Fire Blancket



Wind Shock & Stand



First Aid Box



P. P. Rope



Safety Shower

GS-61

- ABC Stored Pressure
- · Carbon Dioxide Type
- Mechanical Foam
- · Dry Chemical Powder
- Water CO2
- All Extinguisher is Approved by as per 🔄

GS-63

- Made From Heat Resistance Coated Fabric Having 430 Gsm.
- Size: 1.2 x 1.8
- · Thickness: 0.43 mm
- It is used by Wrapping Around the Person to Save Him

- · Made from M.S. Pipes
- · 2 Meter height, Ring dia. 75 mm

GS-65

- · Double ball bearing for easy revolution
- · Color: Red & White
- · It can fold in 3 pieces for easy transportation

GS-67

- Transparent look Acrylic Material
- · Lifting handle
- · Leaflet issued by directed journal of factories
- · Without Medicine

- · Polypropylene (P.P.) Rope
- Available in varies size

GS-71

- Made from highly visible yellow anti corrosive material medium duty GI pipe B grade, and receptor bowl made ABS plastic.
- Color: Yellow Weight: 16.3 At 30 PSI pressure 110 ltr. flow of water per Features minute floor flange Dia. 200 mm. Manually operated valve.



Fire Bucket & Stand



Aluminium Ladder

Life Jacket

Stratcher

· Made From Galvanized Sheet

· Stand Made from M.S. Square

Tube & 90 x 60 cm Galvanized

GS-64

· Mfg from high tensile aluminum alloy, heavy duty light in weight rust

steps 1" dia non-slip corrugated pipe

GS-66

· Outside material nylon, inside

· Buoyancy more than 7.5 Kg.

· Dust fire & flint proof. Each section mfg from C section size 2.5/8" x 1.1/4"

· Rubber shoes provided at bottom • 100% Twist Proof, Heavy Duty &

· Height 3.5 Ft. & 3 Ft. Wide · 4 Pieces For Hooks & Provided

to Hang the Bucket

at 12' centre to centre

Unbreakable Ladder

water proof sponge

· Quick release buckle

Weight 0.600

· Adult size, orange color

9 Liter Capacity

- Collapsible pole stretcher
- Made from heavy duty 25 mm Dia pipe & canvas cloth coated with polyurethane
- 203 cm x 25 cm (unfolded)
- · Washable, fitted with 3 straps on each side
- load capacity 159 kg

GS-70

- · Made from M.S. sheet and rotter from aluminum alloy
- · Approval from chief controller of explosives • Yellow color
- It require when vehicle enter in hazardous area (Highly inflammable) · Adjustable nut is provided for
- proper fitting



Spark Arrestor

Air Blower

GS-72

· Heavy Duty Powder Coated Amour Sheet Housing Construction Equipped with 3.0 H.P. Motor 8 Blade precision balanced aluminium alloy impeller Motor equipped with thermal switch for overheat proteciton Engineered to move high volume of air This model is equipped with heavy duty locking caster

E-mail: info@gujaratsafety.com

GROUP OF COMPANIES:-



Complete Scaffolding Solution (Sales / Hiring / Erection)

Email: info@gujaratscaffolding.com Website: www.gujaratscaffolding.com



All Type of Welding, Hardware, Power Tools

Email: safeenterprise@yahoo.com



Fire Fighting Projects, Refilling Fire Extinguisher Alarm System, & Maintenance Contract

Email: gujaratfiresystems@gmail.com

Azaz MemonCell: 99740 16714



An ISO 9001:2008 Certified Company

All Types of Safety Items Manufacturers & Distributers

Head Office :- BHARUCH

Plot No. 51, G.I.D.C. Phase - 1, Avsar Chokdi, Near Water Tank, G.I.D.C., Bharuch-392 015. (Gujarat) **Ph.**: 02642 - 248907, **Mobile**: 99740 16714, **E-mail**: info@gujaratsafety.com

Branch Office: AHMEDABAD

A-15, Patel Estate, Opp. Ratandeep Hotel, Sarkhej Sanand Road, Sarkhej, Ahmedabad - 382 210. (Gujarat) **Mobile**: 99740 07971, **E-mail**: uvesh@gujaratsafety.com